

Viribeam Purlins Order Form

Customer
Contract
Purlin/Rail Section No.

Viribeam Purlins

Galv

Please circle your section: 145 175 205 235 265 300
Please circle your gauge: 1.5mm 1.8mm 2.0mm 2.5mm Other sizes available on request


Fixing Hole: 14mm round on top and bottom

Sag Bar: 14mm square on web

Coated

Coated please circle your section: 145 175 205
Coated please circle your gauge: 1.5mm 2.0mm

Note: Minimum length 460mm. Maximum length 16m.



Please fill in the positions of your round or squares holes on the diagram above.

Quantity. _____

Mark No. _____

Viribeam Purlins Order Form

Customer's Order No.
Job No.
Date

Cleats			
Type: Bolt On	Qty.	Type: Weld On	Qty.
B145		W145	
B175		W175	
B205		W205	
B235		W235	
B265		W265	
B300		W300	

Viribeam Standard Sleeves

Section	Qty.	Section	Qty.
145		235	
175		265	
205		300	

Viribeam Quick Lok Sag Bar


Purlin Centres	Mark	Qty.

Viribeam Apex Tie

Mark	Purlin Centres	Qty.

Viribeam Eaves Ties

Mark	Qty.	Overall Length



Viribeam Eaves Beam Order Form

Customer
Contract
Eaves Beam Section No.


Galv

Please circle your section: 175 205 265
Please circle your gauge: 1.8mm 2.0mm 2.5mm
Please circle your angle: 6° 12° 15°

Coated

Please circle your section: 175 205
Coated gauge available in 2.0mm only

Note: Minimum length 460mm. Maximum length 16m.



Quantity. _____

Mark No. _____